## IEBHERR

## SUIG 1514 Comfort

## Integrable under-worktop freezer

Cooling techno-

logy

SmartFrost

**Aperture height** 

82 - 88 cm

**Drawers** 

3

Type of installa-

tion

Under-worktop

Door assembly

Fixed door

**Energy effi-**

ciency class

Ε

**Dimensions** H/W/D

82.0 - 88.0 / 59.7 / 55.0

cm

Connectable (SmartDevicecapable)







> Get help for service

## General product information

Model type

Under-worktop freezer for integrated use

**GTIN** 

4016803055419

Output and consumption	
Voltage	220-240 V ~
Frequency	50/60 Hz
Connection rating	1.3 A
Energy efficiency class	E
Energy consumption per year	167.90 kWh/a
Climate class	SN-T
Noise level	35 dB
Dimensions and weight	
Aperture height	82 - 88 cm
Dimensions H/W/D	82.0 - 88.0 / 59.7 / 55.0 cm
Height/width/depth (with packaging)	883.0 / 615.0 / 617.0 mm
Aperture dimensions height/width/depth	82 - 88 / 60 / 55.0 cm
Weight (without packaging)	36.50 kg
Weight (with packaging)	39.00 kg
Control and functions	
Control	Magic Eye with LC and digital temperature display
Control unit	Buttons

Temperature display	Freezer
Malfunction: Warning signal	optical and acoustical
FrostControl	_
Door open: Warning signal, freezer compartment	visual and audible
SuperFrost	Time-controlled
Connectable (SmartDevice-capable)	_
Freezer compartment	
Storage time during interruptions in power supply	10.05 h
Total freezing capacity	5.74 kg / 24h
Star-coding	4
Cooling technology	SmartFrost
Drawers	3
of which on telescopic rails	0
of which on pull-out roller system	0
Material adjustable shelves freezer compartment	Glass
VarioSpace	<b>✓</b>
Lighting	-

Cold storage accumulators	0
Ice cube tray	0
FrostSafe-System	with completely enclosed, transparent drawers
Set-up and installation	
Door assembly	Fixed door
Door hinges	Right replaceable
Door opening angle	115°
Ventilation	Base ventilation
Specifications	
Total volume	95 l
Volume, freezer compartments	95 l
Of which 4-star compartment	95.1 l

Please note: despite careful data management, we reserve the right to make technical changes; and discrepancies may occur between the image or text content and the original appliance.

LIEBHERR