

Whirlpool W7I HF60 TUS Fully built-in 15 place settings A

Brand : Whirlpool

Product code: 859991660600

Product name : W7I HF60 TUS

Whirlpool W7I HF60 TUS. Appliance placement: Fully built-in, Product size: Full size (60 cm), Control panel colour: Black. Number of place settings: 15 place settings, Noise emission class: B, Noise level: 40 dB. Energy efficiency class: A, Water consumption per cycle: 9.5 L, Energy consumption per 100 cycles: 55 kWh. Width: 598 mm, Depth: 555 mm, Height: 820 mm. Package width: 625 mm, Package depth: 675 mm, Package height: 910 mm



Design		Ergonomics	
Appliance placement *	Fully built-in	Self-cleaning filter	✓
Product size *	Full size (60 cm)	Adjustable feet	✓
Custom panel-ready *	✓	Floor indicator light	✗
Door colour *	Not applicable	Ready indicator	✗
Control panel colour	Black	Remaining time indication	✗
Control type	Touch	Salt indicator	✓
Built-in display *	✓	Rinse aid indicator	✓
Cord length	1.3 m	LED program stage indicator	✗
Inlet hose length	1.55 m	Power	
Outlet hose length	1.5 m	Energy efficiency scale	A to G
Water fill	Cold, Hot	Energy efficiency class *	A
Number of baskets	2 basket(s)	Water consumption per cycle *	9.5 L
Baskets adjustable placement	Upper	Energy consumption per 100 cycles *	55 kWh
Upper basket adjustable height	✓	Connected load	1900 W
Cutlery compartment type	Basket	AC input voltage	220-240 V
Performance		AC input frequency	50 Hz
Noise level *	40 dB	Current	10 A
Dishwashing programs *	Auto-Mixed, Daily 50°C, Delicate 45°C, Eco 50°C, Intensive 65°C, Pre-wash, Quick 45°C, Self-clean 65°C	Weight & dimensions	
Drying system	Natural	Depth	555 mm
Number of place settings *	15 place settings	Height	820 mm
Number of washing programs *	8	Weight	35.5 kg
Noise emission class *	B	Installation compartment width	60 cm
Temperature (max) *	65 °C	Installation compartment depth	56 cm
Maximum hot water supply temperature	60 °C	Installation compartment height (min)	82 cm
Cycle time *	270 min	Installation compartment height (max)	90 cm
Delayed start timer	✓	Width *	598 mm

Performance		Packaging data	
Delay start (max)	24 h	Package width	625 mm
AquaStop function *	✘	Package depth	675 mm
AquaSensor function	✔	Package height	910 mm
Glass protection	✔	Package weight	37.5 kg
Overflow protection *	✔	Other features	
Half-load	✔	Warranty period	2 year(s)
Self-cleaning	✔		
Automatic load recognition	✘		
Ergonomics			
Dosage assistant	✘		



8003437641459

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-MAY-2024. Prints or copies of Information are only valid on the printed Publication date